

MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A



**DNA-TR-81-48** 

# INSTRUMENTATION AND DATA ACQUISITION FOR SATELLITE TESTING IN NUCLEAR ENVIRONMENTS

Bhagwant Samyal Walter Naumann Effects Technology, Incorporated 5383 Hollister Avenue Santa Barbara, California 93111

30 June 1982

**Technical Report** 


CONTRACT No. DNA 001-81-C-0219

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

THIS WORK WAS SPONSORED BY THE DEFENSE NUCLEAR AGENCY UNDER RDT&E RMSS CODE B323081466 X99QAXVX00001 H2590D.

IC CULE COPY

Prepared for
Director
DEFENSE NUCLEAR AGENCY
Washington, DC 20305



83 01 20 001

Destroy this report when it is no longer needed. Do not return to sender.

PLEASE NOTIFY THE DEFENSE NUCLEAR AGENCY, ATTN: STTI, WASHINGTON, D.C. 20305, IF YOUR ADDRESS IS INCORRECT, IF YOU WISH TO BE DELETED FROM THE DISTRIBUTION LIST, OR IF THE ADDRESSEE IS NO LONGER EMPLOYED BY YOUR ORGANIZATION.


SECURITY CLASSIFICATION OF THIS PAGE (When Page Enterril)

REPORT DOCUMENTATION		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	1	NO. 3. RECIPIENT'S CATALOG HUMBER
DNA-TR-81-48	AD-A123	\$6C
4. TITLE (and Submite)		8. TYPE OF REPORT & PERIOD COVERED
INSTRUMENTATION AND DATA ACQUISITE SATELLITE TESTING IN NUCLEAR ENVI		Technical Report
	_	6. PERFORMING ORG. REPORT NUMBER
	E	CR-82-1081
7. AUTHOR(s)		
Bhagwant Samyal		DNA 001-81-C-0219
Walter Naumann		1
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Effects Technology, Inc.		AREA & WORK UNIT NUMBERS
5383 Hollister Avenue		Subtask X99QAXVX000-01
Santa Barbara, California 93111		
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
Director		30 June 1982
Defense Nuclear Agency		13. NUMBER OF PAGES
Washington, DC 20305		68
14. MONITORING AGENCY NAME & ADDRESS(I dition	i Irash Controlling GM	
	-	UNCLASSIFIED
		TEL DECLASSIFICATION DOWNGRADING
6. DISTRIBUTION STATEMENT (of this Report)		<del></del>
,		$\mathcal{L}_{\alpha}$
Approved for public release; distr	ribution unli	nited (* )
	اسد	
		4 W 1
17. DISTRIBUTION STATEMENT (of the charrest entered	In 814 0 40. Il differe	nt from Report)
	/	$+$ $\wedge$ $\wedge$
·                     /		
IB. SUPPLEMENTARY NOTES		
		2 22 22 22 24 2
This work was sponsored by the Def	ense Nuclear	agency under RDT&E RMSS Code
B323081466 X99QAXVX00001 H2590D.		/ 5
19. KEY WORDS (Cantinue on reverse side / necessary an		mbor)
Data Acquisition Magneto-op		nderground Test
Data Link Pockels Ef	fact /	uclear Weapon Effects Test
Fiber Optic Faraday Ef	fect /	leasurement of Electromagnetic
Electro-optic Sensor / Satellite	Tosting	dields /
		nstrumentation for UGT
20. ABSTRACT (Cantinue en reverse side il necessary en	d layhily by black mu	near)
		r measurement of SGEMP-induced
electromagnetic fields in and arou		
fiber optic data link suitable for		
satellite to outside data collecti		
and magneto-optic sensors are base		
respectively. The former has s se	ensitivity rar	ige of 10° - 10° v/m and the
latter 1 x 10 <sup>-6</sup> - 34 x 10 <sup>-4</sup> Weber/	m <sup>2</sup> . Brief th	2) / \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
· 	1	The Additional of the Addition
DD 1 JAN 73 1473 EDITION OF 1 NOV 45 IS OBSOL	LETE	WING ACCURE
= - · · · =	( ) 4 ~	UNCLASSIRIED

#### SECURITY CLASSIFICATION OF THIS PAGE(When Date Entered)

#### 20. ABSTRACT (Continued)

systems for the application of these sensors are presented. These sensors have several advantages over the conventional electrical sensors and they exhibit a great potential for measurement of electromagnetic fields. However, the effects of radiation on these sensors are uncertain and need to be assessed for any future development of these sensors. The fiber optic data link consists of several transmitter modules, located at the satellite, connected by optical fibers to the corresponding receiver modules located at a radiation safe alcove. The link features (1) recovery of the transmitter module circuitry from the radiation-induced effects in less than one cycle of the data to be recorded, and (2) FM or digital transmission of the data over the optical fibers. Existing DNA owned DES formatters may be used with this link to eliminate the unnecessary development costs and to insure compatibility with the existing recording techniques.



TO THE OWNER OF THE PROPERTY O

#### TABLE OF CONTENTS

SECTION		PAGE
	List of Illustrations	- 2
	List of Tables	- 2
1	INTRODUCTION	- 5
2	ELECTRO-OPTIC AND MAGNETO-OPTIC EFFECTS	- 7
	2-1 Pockels Effect	- 7 - 10
3	ELECTRO-OPTIC AND MAGNETO-OPTIC SENSORS	- 14
	3-1 Electro-optic and Magneto-optic Systems 3-2 EO and MO Systems for Satellite UGT 3-3 Summary of EO and MO Sensors 3-4 EO and MO Sensors versus Conventional Electrical Sensors	- 18 - 21
4	OPTICAL FIBER FOR RADIATION ENVIRONMENT	- 27
	4-1 Requirements	- 28
5	FIBER OPTIC DATA LINK	- 31
	5-1 Requirements	- 31 - 32
6	CONCLUSIONS	- 40
	6-1 Advantages of EO and MO Sensors 6-2 Problems and Areas of Concern 6-3 Recommendations	- 41
	6-3.1 Recommendations for EO and MO Sensors - 6-3.2 Recommendations for FO Data Link	
	REFERENCES	- 45
APPENDIX		
A	POLARIZATION ANALYSIS	- A-1
В	DESIGN PARAMETERS OF THE CONVENTIONAL ELECTRICAL SENSORS	- B-1
С	GLOSSARY OF SCIENTIFIC TERMS	- C-1

#### LIST OF ILLUSTRATIONS

FIGURE		PAGE
1	Electro-optic (Pockels effect) system for measuring electric fields	15
2	Magneto-optic (Faraday effect) system for measuring magnetic fields	16
3	Schematic of a typical EO or MO sensor for satellite testing in underground nuclear environment	19
4	Optical system utilizing EO sensor for satellite UGT. (MO sensor is similar)	20
5	Block diagram of transmitter module in satellite	33
6	Block diagram of receiver module and associated equipment in alcove	36
7	System operating modes	37
8	Block diagram of digital encoder system (DES)	38
A.1	A Pockels (linear electro-optic) effect sensor using an ADP crystal, a quarter-wave retardation plate and a polarizing beam splitter	- A-3
A.2	A Faraday (linear magneto-optic) effect sensor using a glass rod and an anlayzer	
	LIST OF TABLES	
TABLE		PAGE
1	Electro-optic sensing materials	9
2	Magneto-optic sensing materials	12
3	Summary of electro-optic and magneto-optic sensors-	22
4	Comparison of EO and MO sensors and conventional electrical sensors	24
5	EO and MO sensors versus conventional electrical sensors	25

#### LIST OF TABLES (Concluded)

TABLE		PAGE
B.1	D-Dot sensors	B-3
B.2	Electric field sensors	B-4
B.3	B-Dot sensors	<b>B</b> -5
B.4	I-Dot sensors	B-6
R. 5	Current sensors	B-7

# SECTION 1 INTRODUCTION

This final report describes instrumentation for future satellite and missile underground nuclear tests (UGT). In particular, electrooptic (EO) and magneto-optic (MO) sensors for the measurement of SGEMPinduced electromagnetic fields on and in a satellite in an UGT environment and a Fiber Optic (FO) data link suitable for relaying remote
electrical measurements inside the satellite to outside data collection
devices are described. The sensors and the fiber optic data link are
not used together and are intended for different applications. The EO
and MO sensors use optic fibers for transmission of light but require no
FO data link of any kind.

Property Control Control Control

The work in this report commenced with solicitation of information on EO and MO sensing materials, modulators and possible existence of sensors for measurement of electromagnetic fields from various vendors. Simultaneously, a library literature survey and a DNA document search was launched for the above information. No commercially available EO and MO sensors for the measurement of electromagnetic fields have been found. The literature survey did cite the possible applications of the Kerr effect, Pockels effect and Faraday effect for measurement of electromagnetic fields. The application of the Kerr effect was rejected because of the many disadvantages of nitrobenzene which exhibits the best Kerr sensitivity. The other two effects showed the best potential for application as EO and MO sensors. The FO link work and discussion is based on the past experience of Effects Technology, Inc. (ETI) in designing FO systems for DNA and others.

EO and MO effects are discussed in Section 2. The description of the EO and MO sensor systems in general and for satellite UGT in particular is presented in Subsections 3.1 and 3.2, respectively; followed by a summary of the EO and MO sensors in Subsection 3.3 and a comparison of the EO and MO sensors versus the conventional electrical sensors in Subsection 3.4. Section 4 discusses optical fibers for use in radiation environment. The FO data link is described in Section 5.0. Section 6.0 concludes the report by discussing the advantages of the EO and MO sensors (Subsection 6.1), the problems and areas of concern for any future development of the sensors and FO data link (Subsection 6.2) and the recommendations for any required development of the sensors (Subsection 6.3.1) and the FO data link (Subsection 6.3.2).

Appendices A and B describe polarization analysis of the EO and MO systems and the design parameters of the conventional electrical sensors, respectively. A glossary of the scientific terms is included in Appendix C.

#### SECTION 2

#### ELECTRO-OPTIC AND MAGNETO-OPTIC EFFECTS

Kerr, Pockels, and Faraday effects were considered for possible application in EO and MO sensors for satellite testing in a UGT environment. Because of the many disadvantages of nitrobenze which exhibits the best Kerr effect sensitivity, the application of the Kerr effect was considered unattractive and is not discussed in this report. A brief review of the other two effects and their sensing materials is presented in this section.

#### 2-1 POCKELS EFFECT

Pockels effect is a linear electro-optic phenomenon exhibited by certain crystals which lack a center of symmetry. An applied E-field, either parallel or perpendicular to the optic axis, depending on the crystal, produces refractive index changes which increase linearly with the field and thereby induces birefringence into the crystal. A light beam traveling along the optic axis in such a crystal experiences a differential phase delay called the retardation,  $\Gamma$ , due to the applied field. From the literature one finds an expression for relative phase retardation given by

$$\Gamma = 2\pi n_0^3 r_{ij} E_i L/\lambda_0$$

where

n<sub>O</sub> = refractive index o-ray

 $\lambda_0$  = wavelength of light in free-space

E<sub>i</sub>,E<sub>e</sub> = internal and external field components

r<sub>ii</sub> = electro-optic coefficients

L = optical path length in the material

The relative retardation,  $\Gamma$ , is measured as described in Section 3, and using the above expression the internal field  $E_i$  is found. Due to the complete dielectric nature of the optical system and crystal,  $E_i$  depends upon the crystal shape, the dielectric constant and the external field  $E_e$ . Using a crystal of known shape, the simpliest one being an ellipsoid of revolution about the optical propagation direction,  $E_e$  is found from the expression that describes how the E field permeates the crystal, i.e.,

$$\frac{E_i}{E_e} = \frac{D^{-1}}{D^{-1} + K - 1}$$
 (< 1)

The depolarization factor, D, in the direction of the applied field is obtained from literature equations as a function of the aspect ratio of the crystal i.e., the ratio of the length of the semi-major axis to that of a semi-minor axis. K is the relative dielectric constant for the internal field component  $\mathbf{E}_i$ .

A figure of merit for electro-optic sensing materials can be written as  $M=n^3$   $r_{ij}$   $E_i/E_e$ . Table 1 shows properties and M for two groups of materials. These materials are commercially available as high quality modulator materials and are compatible with He-Ne (663 or 1152 nm) and laser diode (820 nm) light sources.

For KDP group materials only the E-field component parallel to the optic axis produces relative retardation. The electro-optic coefficient  $r_{ij} = r_{63}$  where j = 3 ( $x_3$ ) is the field direction. KD\*P and CD\*A are clearly the best in the group on the basis of the figure of merit. These crystals are hygroscopic and generally temperature sensitive. An example of the sensitivity that can be achieved with a 6 mm long KD\*P crystal at optical wavelength of 820 mm is considered. We assume a value of 2 for the aspect ratio, a, and obtain calculated  $E_i/E_e$  to be 0.039. For a relative retardation,  $\Gamma$ , of 16% we find the external field

Table 1. Electro-optic sensing materials.

THE REPORT OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE

The considerability and producted are supplied by a production of the production of

Comments		•	Large Crystals Available,	E-Field    to Optic Axis,	Hygroscopic, Temperature	Sensitive			Relatively Temperature	Insensitive, Handling	Ease
Figure of Merit M x 10 <sup>-12</sup> (m/V)		26	45	24	33	38	62		2.16	0.39	
Dielectric Constant K		$K_3 = 21$	$K_3 = 50$	$K_3 = 15$	K <sub>3</sub> = 28	$K_3 = 34$	K <sub>3</sub> = 61		$K_1 = 78$	K <sub>1</sub> = 53	
e <sup>o</sup>	dno	1.508	1.504	1.522	1.506	1.563	1.559		2.286	2.176	
r <sub>ij</sub> x 10 <sup>-12</sup> (m/v)	Potassium Dihydrogen Phosphate Group	$r_{63} = 10.5$	$r_{63} = 26.4$	$r_{63} = 8.5$	$r_{63} = 15$	$r_{63} = 16.7$	r <sub>63</sub> = 36.6	Lithium Niobate Group	r <sub>22</sub> = 7	r <sub>22</sub> = 1	
Material	Potassium I	KUP	ΚD*P	ADP	RDP	CDA	CD*A	Lithium Nio	$LiNbO_3$	LiTa03	

component  $E_e$  equals  $1.0 \times 10^6$  v/m, which is the maximum value expected in out application. If we further assume the lowest field to be measured is 100 v/m, then a calculated value of  $0.16 \times 10^{-4}$  for  $\Gamma$  is obtained. This estimate of  $\Gamma$  is reasonable and should be easily measurable using the differential detection system and the sum and difference of two orthogonal components of intensity as described in detail in Section 3.

For LiNbO $_3$  materials, a field (along  $x_2$  or  $x_1$  axis) perpendicular to light traveling along the optic axis  $(x_3)$  produces a relative retardation. The appropriate electro-optical coefficient in this case is  $r_{ij} = r_{22}$ . These materials are non-hygroscopic and relatively temperature insensitive.

#### 2-2 FARADAY EFFECT

The Faraday effect is a linear magneto-optic phenomenon exhibited in certain glasses. A magnetic field applied parallel to a plane polarized light propagating along the optic axis in such a glass causes the optical polarization rotation of the incident light. The polarization rotation is given by  $\theta$  = V B<sub>o</sub>L where

V = verdet constant

B<sub>a</sub> = applied (external) magnetic field component

L = optical path length in the material

The expression is strictly true only for diamagnetic doped glasses and paramagnetic glasses which have values of relative permeability near that of space. In such materials, the internal field does not depend strongly on the shape of the crystal and a simple figure of merit is written as  $M' = V/\alpha$  rad/G where  $\alpha$  is the attenuation coefficient (cm<sup>-1</sup>).

The ferromagnetic materials such as YIG have high permeability below saturation and they require a biasing field perpendicular to the opical path in order to align the inherent magnetic domains and obtain optical uniformity. Here polarization rotation is given by

$$\theta = B_{i}L \frac{\theta_{f}}{4\pi M_{g}}$$

where

B, = internal magnetic field component

 $\theta_{e}$  = Faraday rotation per unit length

4πM = Saturation Magnetization

 $B_i/B_e = D^{-1}$  (demagnetization factor)

The internal and external magnetic field components,  $B_i$  and  $B_e$ , are related by a demagnetization (depolarization) factor,  $D_a$ , which is similar to that discussed previously in the Pockels effect. In this case a figure of merit is written as

$$M'' = \frac{\theta}{B_e L \alpha} = \frac{\theta_f}{4\pi M_s D_a \alpha}$$
 rad/G

The properties and figures of merit of some commercialy available magneto-optic sensing materials are shown in Table 2. For YIG a typical value of  $4\pi M_{_{\rm S}}$  is taken from literature and  $D_{_{\rm R}}$  corresponds to an aspect ratio, a, of 5. YIG is clearly the best material on the basis of the figure of merit, but the need for completely dielectric sensors may preclude its application for satellite testing. Although Hoya and Schott glasses have relatively low figures of merit, their application as magneto-optic sensors has been reported in the literature.

Table 2. Magneto-optic sensing materials.

Material	Verdet Constant $V(rad-g^{-1}-cm^{-1})$	Loss a (cm <sup>-1</sup> )	Figure of Merit $M^* =  V/\alpha $	Comments
			(rad-g <sup>-1</sup> )	
Corning 8363	$+ 2.6 \times 10^{-5}$	3 x 10 <sup>-3</sup>	$0.87 \times 10^{-3}$	
Dysprosium Alumina Silicate	$-6.4 \times 10^{-5}$	$\sim 10^{-2}$	6.4 x 10-3	<pre>-v for paramagnetic ions,</pre>
Hoya FR-4	- 3.0 x 10 <sup>-5</sup>	3 x 10 <sup>-2</sup>	1.0 x 10 <sup>-3</sup>	+v for diamagnetic ions
Hoya FR-5	$-7.3 \times 10^{-5}$	$3 \times 10^{-2}$	2.4 x 10 <sup>-3</sup>	
Praseodymium Alumina Silicate	- 6.1 x 10 <sup>-5</sup>	~ 10 <sup>-2</sup>	$6.1 \times 10^{-3}$	
Schott SFS-6	$+ 2.6 \times 10^{-5}$	$1.5 \times 10^{-3}$	$17.3 \times 10^{-3}$	available in any
Schott SFS-57	$+ 2.0 \times 10^{-5}$	$2.5 \times 10^{-3}$	$8.0 \times 10^{-3}$	specified shape and
Schott SFS-58	$+ 2.4 \times 10^{-5}$	$2.0 \times 10^{-3}$	$12.0 \times 10^{-3}$	@ 620 nm
Schott SFS-59	$+ 2.6 \times 10^{-5}$	$2.0 \times 10^{-3}$	$13.0 \times 10^{-3}$	
TGC	$-13.0 \times 10^{-5}$	$7.0 \times 10^{-2}$	1.86 x 10 <sup>-3</sup>	
Ferromagnetic Material	ial (λ = 1152 nm)			
Material	θ 4πM <sub>S</sub> (α) (β)	D Loss α (cm <sup>-1</sup> )	Figure of Merit $M'' = \theta_f / 4\pi M D \alpha$ $(rad-g^{-1})$	Comments
712	0 0221 781	8 0 858 0 0221	40.6 × 10 <sup>-3</sup>	best material, transpa

The external magnetic field component  $B_e$  is determined from a measured value of  $\theta$  as described in Section 3 and using the above relations. An example of the sensitivity of a Hoya FR-5 rod 10 cm long and approximately 1 cm in diameter is considered. For a Faraday rotation  $\theta$  of 2.5% the calculated B-field is 34 G (34 x  $10^{-4}$  Weber/ $m^2$ ), the maximum value expected in our application. The minimum value of 20 that would be measureable is of the order 0.16 x  $10^{-4}$  (same as the relative retardation in Pockels materials) which corresponds to a field value of 0.01 G (1.0 x  $10^{-6}$  Weber/ $m^2$ ). However, the use of YIG in this example would result in much smaller material dimensions.

#### SECTION 3

#### ELECTRO-OPTIC AND MAGNETO-OPTIC SENSORS

Electro-optic (Pockels) and magneto-optic (Faraday) effects described in Section 2 have been widely exploited for applications as modulators and isolators. In such application, the required electric fields and magnetic fields are generated by high voltage electrodes and solenoids, respectively. For satellite testing, electromagnetic fields already exist due to SGEMP and no external driving source for the EO and MO sensors is required. The sensors are completely dielectric and they do not perturb the surrounding fields being measured as much as the conventional electric sensors. Furthermore, when the sensors are used with fiber optic transmission, for which they are well suited, they form optical systems which are immune to EMI and other electrical noise sources. The EO and MO sensing materials sensors have fast time responses approaching that of electronic lattice relaxation times (10<sup>-13</sup> to 10<sup>-14</sup> seconds). Thus the optical system response is limited only by the response of the detector and associated electronics.

In this section, electro-optic and magneto-optic systems in general are described in Subsection 3.1 and in particular for Satellite UGT in Subsection 3.2. Subsection 3.3 presents a summary of EO and MO sensors. A comparison of the EO and MO sensors versus the conventinal electrical sensors is discussed in the last Subsection 3.4.

#### 3-1 ELECTRO-OPTIC AND MAGNETO-OPTIC SYSTEMS

Systems for measuring the relative retardation,  $\Gamma$ , in EO (Pockels effect) sensors and the polarization rotation angle,  $\theta$ , in MO (Faraday effect) sensors are shown in Figures 1 and 2, respectively. In these figures linearly polarized laser light is biased either by a quarter

#### LEGEND:

D - DETECTOR

I,I, - MODULATED INTENSITY COMPONENTS

L - LINEARLY POLARIZED LASER

M - MIRROR

**PBS - POLARIZING BEAM SPLITTER** 

EOS - ELECTRO-OPTIC SENSOR

W - 1/4 RETARDATION WAVEPLATE

E - ELECTRIC FIELD




Figure 1. Electro-optic (Pockels effect) system for measuring electric fields.

#### LEGEND:

- ANALYZER

- DETECTOR

- MODULATED INTENSITY COMPONENTS

- LINEARLY POLARIZED LASER

- MIRROR

MOS - MAGNETO-OPTIC SENSOR B - MAGNETIC FIELD




Figure 2. Magneto-optic (Faraday effect) system for measuring magnetic fields.

wave retardation plate to give circularly polarized light or by orienting the polarization at 45 to the analyzer axis such that in the absence of the applied fields the two orthogonal components of the intensity at the polarizing beam splitter or the analyzer output are equal. Application of an E-field makes the EO sensor birefringent and a B-field causes rotation of the polarization vector in the MO sensor. The resulting unequal intensity components  $\mathbf{I}_1$  and  $\mathbf{I}_2$  are measured by two separate detectors and fed into sum and difference amplifiers.

A straightforward polarization analysis (see Appendix A for details) of the EO and MO optical systems yields the expression for intensities as

$$I = \begin{cases} \frac{1}{2} & (1 \pm \sin r) & \text{Pockels Effect} \\ \frac{1}{2} & (1 \pm \sin 2\theta) & \text{Faraday Effect} \end{cases}$$

where I and  $I_0$  are the transmitted and incident intensities, respectively. Then in terms of the ratio of difference to sum of the two orthogonal components  $I_1$  and  $I_2$  of the intensity, the above expression gives

$$I_{1} - I_{2} = \begin{cases} \sin \Gamma \ Z \ \Gamma \ (\Gamma \ll \pi/2) & \text{Pockels Effect} \\ I_{1} + I_{2} & \sin 2\theta \ Z \ 2\theta \ (\theta \ll \pi/4) & \text{Faraday Effect} \end{cases}$$

This ratio directly provides a measure of the relative phase retardation,  $\Gamma$ , and Faraday rotation,  $\theta$ , in the EO and MO sensors, respectively. The limitations of  $\Gamma$  and  $\theta$  stated, in parenthesis above, dictate the ranges over which the sensors operate linearly. The

measured values of  $\Gamma$  and  $\theta$  are used in the appropriate expressions described in Section 2 to calculate the corresponding E- and B-field components.

#### 3-2 EO AND MO SYSTEMS FOR SATELLITE UGT

Figure 3 shows a schematic (conceptual design) of a typical EO or MO sensor for satellite testing in an underground nuclear environment. The sensor along with its passive optical components is located at the measurement site. The light source, the optical receiver and electronics are located at a relatively radiation safe alcove. Light is transmitted to and back from the sensor by means of optical fibers.

A detailed optical system utilizing EO or MO sensors for satellite UGT is shown in Figure 4. The labels are identified in the legend. One optic fiber transmits light to the sensor and two fibers bring the modulated irradiation of two orthogonally polarized components of light to the alcove where they are measured by the detectors. The signals (photocurrents) from the detectors are fed to the difference and sum amplifiers and the resulting two analog signals are recorded.

Three sensors, one for each component of the electromagnetic field, oriented in mutually perpendicular directions are required to determine the E- or B-field completely. The number of optic fibers required can be reduced by splitting the light from one source into two incident beams, at the measurement site, for two different sensors. All the fibers can be in one bundle if desired, but this would not result in any significant overall weight reduction. It may be pointed out that no FO data link of any sort is needed for the EO and MO sensors. As shown in Figures 3 and 4, the signal transmitted and received at the alcove remains optical throughout.




Figure 3. Schematic of a typical EO or MO sensor for satellite testing in underground nuclear environment.

# **MEASUREMENT SITE EOS** PBS FIBERS 100m TO SUM AND DIFFERENCE **AMPLIFIERS** ALCOVE

#### LEGEND:

- FIBER OPTIC COUPLER

- DETECTOR

- DIODE LASER (820 nm)

- POLARIZER

**PBS - POLARIZING BEAM SPLITTER** 

- 1/4 WAVEPLATE

I,,I, - MODULATED INSENSITY COMPONENTS EOS - ELECTRO-OPTIC SENSOR

Figure 4. Optical system utilizing EO sensor for satellite UGT. (MO sensor is similar)

#### 3-3 SUMMARY OF EO AND MO SENSORS

Electro-optic and magneto-optic sensors described in the previous sections are summarized in Table 3. The stated sensitivity figures are based on numerical examples presented in Section 2 and are considered reasonable for the dimensions of the sensing materials considered. No electrical wires or electrodes are employed in the sensors. The optical source for these sensors can be either a He - Ne laser (633 mm or 1152 nm line) or a diode laser (820 mm).

For EO (Pockels effect) sensor, KD\*P is readily available commercially and has the second best figure of merit (see Table 3), but it is hygroscopic and requires a careful sealing. Besides, it is temperature sensitive. LiNbO<sub>3</sub> has a relatively low figure of merit, but it is temperature insensitive and nonhygroscopic. Both of these materials suffer from internal field relaxation when subjected to very low frequency (< 60 Hz) fields or high temperatures. Fortunately, the above two environmental constraints (high temperature and low frequency fields) are not present in satellite UGT.

Among the MO (Faraday effect) materials YIG has the best figure of merit (see Table 2). The use of YIG as a MO sensing material results in small practical dimensions of the sensor. But YIG requires a biasing (either dc or a permanent magnet) field perpendicular to the optical axis, as described earlier. Therefore, its use in the satellite UGT may be objectionable. Glasses are easy to use, but due to their lower sensitivity, longer lengths are required to obtain acceptable Faraday rotation measurements.

A differential detection system and the ratio of difference to sum of two orthogonal components of the intensity are employed in both the sensors. The lowest intensity modulation index (i.e.,  $\Gamma$  or 20) that would be measureable by these sensors is of the order 0.16 x 10<sup>-4</sup>. The

Table 3. Summary of electro-optic and magneto-optic sensors.

Comments	E Field Along x <sub>1</sub> or x <sub>2</sub> trans- verse axes axes E Field Along the optic x <sub>3</sub> axis   to   to   to   to   to   to   to   to
Time Response	10 <sup>-13</sup> - 10 <sup>-14</sup> s
Detec- tion	Direct, 2 Photo Detectors
Prob-	Temp. Sensitivity Internal Relaxation System Calibration Required Transparent to IR only
E.O/M.O Sensitive Material	Linbo <sub>3</sub> KD*P Various Glasses TGG & YIG
Opti- cal Source	He-Ne Laser (633 m) Diode Laser (820 nm)
Sensing Material Shape	circu- lar rod
Drive Mechan- ism	existing existing field
Sensi- tivity	10 <sup>2</sup> - existing 10 <sup>6</sup> v/m field 1 x 10 <sup>-6</sup> - existing 34 x 10 <sup>-4</sup> field weber/m <sup>2</sup>
Measure- ment	E-Field
Sensor	E.O. (Pockels effect) M.O (Faraday effect)

EO and MO sensing materials have very fast time responses  $(10^{-13})$  to  $10^{-14}$  seconds) and there is hardly a need to consider their frequency responses. Thus, the response of the optical system (sensor) is limited only by the response of the detector and associated electronics.

#### 3-4 EO AND MO SENSORS VERSUS CONVENTIONAL ELECTRICAL SENSORS

A comparison of the EO and MO and conventional electrical sensors is presented in Table 4. The parameters of the EO and MO sensors are described in the previous sections. The information on the conventional electrical sensors is taken from Appendix B where separate tabulated parameters of each of the sensors are presented. The abbreviations, in parentheses, underneath a sensor type stand for various sensor systems that are described individually in the appendix. For example, underneath D-DoT sensor, HSD stands for hollow spherical dipole. The quantities denoted by an asterisk in Table 3 do not pertain to one sensor system, but are representative of all the systems for a particular sensor described in Appendix B.

Table 4 shows the time responses of the EO and MO sensor materials to be faster by several orders of magnitude than the responses of the corresponding electrical E-field and magnetic field (B) sensors. However, the detectors, amplifiers and recorders limit the responses of the EO and MO sensors at present. The sensitivities of the EO and MO sensors are arrived at by considering reasonable dimensions of the appropriate sensing materials; for the electrical sensors the equivalent area or length,  $A_{\rm eq}$  or  $L_{\rm eq}$ , are obtained from Appendix B. Certain other parameters such as figures of merit are not directly comparable for the two kinds of sensors and therefore, are not shown in the table.

Table 5 lists some of the advantages of the EO and MO sensors over the corresponding electrical sensors. These completely dielectric EO and MO sensors exhibit a great potential for measurement of electro-

Table 4. Comparison of EO and MO sensors and conventional electrical sensors.

Sensor Type	Field Qty. Measured	Size/Shape	Rise Time or Frequency Response	Sensitivity or Eq. Area/Length	Sensor Material
EO (Pockels Effect)	团	Crystal, Circular Rod Disc	10 <sup>-13</sup> - 10 <sup>-14</sup> s	10 <sup>-2</sup> - 10 <sup>6</sup> v/m	Dielectric
MO (Faraday Effect)	æ	Circular Rod		7 x 10 <sup>-6</sup> 34 x 10 <sup>-4</sup> Weber/m <sup>2</sup>	Dielectric
D - DOT (HSD, ACD, EPD, CFD)	• a	(SED) Small Electric Dipole Rad. a = 3-10(m)	*Tr = 1-3 ns *< 500 MHz to < 8 GHz	*A = 10 <sup>-4</sup> to 0.001 m <sup>2</sup>	Metal
E-Field (PPD, PMD)	EΔ	SED	*Tr = 0.1 - 0.5ns	*L = 0.005 - eq 0.6 ,	Metal
Magnetic Field (CML,MGL,OML,MTL)	oρΩ	LOOP	*Tr = 0.2 - 5ns *< 3 MHz to < 330 MHz	*A = $10^{-5}$ + 0.2m	Metal
I - DOT (CPM,OMM,SMM, III - I - dot - 1)	• H	Inductive Loop, Gap Moebius Loop	*Tr = 0.3 + 3ns		Metal
Current CPM	H	One-turn Transformer	*4KHz + 500MHz		Metal

\* The values are representative of many systems for a particular sensor described in Appendix B.

Table 5. EO and MO sensors versus conventional electrical sensors.

1.	EO and MO Sensors  1. Completely dielectric; not as perturbing to the fields being measured.	Con 1.	Conventional Electrical Sensors  1. All metallic; distort the fields being
2.	Eliminate breakdown in high radiation source region.	2.	
÷.	Amenable to optic fiber transmission; immune to RFI and other noise sources.		Coaxial cable transmission; susceptible to RFI and electrical noise sources.
4	Sensing materials exhibit fast time responses $(10^{-13}$ to $10^{-14}$ sec),	4.	Time response of the order 0.3 to 3ns, differs from sensor to sensor.
5.	Frequency response limited only by the response 5. of detector and associated electronics.	Š.	Prequency response of the order 4 KHz to 800 MHz, differs from sensor to sensor.
9.	Simple design.		Usually complicated design.
7.	Relatively inexpensive to build.	7.	Costly to manufacture.

magnetic fields. The need for accurate measurement of electromagnetic fields in UGT SGEMP environments thus provides a strong impetus for exploiting the advantages of these sensors. These advantages provide sufficient incentives for the development of the EO and MO sensors and their subsequent evaluation in nuclear radiation simulators so that their application in the actual UGT events can be relied upon.

# SECTION 4 OPTICAL FIBER FOR RADIATION ENVIRONMENT

One of the attractive features of the EO and MO sensors is their amenability to optical fiber. In addition, optical fiber is now replacing wire in many military installations because of its light weight and immunity to electromagnetic interference. The general and environmental requirements, the effects of radiation and the selection of the optical fiber for the present applications are discussed here.

#### 4-1 REQUIREMENTS

The optical fibers are well suited for use at near-infrared wavelengths. At longer wavelengths (> 1  $\mu$ m) optical fibers exhibit low absorption losses, but sensitive detectors are only recently available for use at these wavelengths. Unlike the conventional copper wire and coaxial cable, optical fiber is completely dielectric and is not subject to disruptions by electric fields from nearby signal links or by large pulse of electromagnetic energy that accompany nuclear explosions.

A portion of the optical fiber at the measurement site shall be exposed to ionizing radiation, mostly x-rays and  $\gamma$ -rays, which may damage the fiber. Furthermore, the fiber shall have to meet the stringent requirements of (1) insensitivity to radiation-induced transient darkening and (2) transmission of high frequency, fast rise time optical data during the fiber darkening. The optical fiber must be capable of transmitting optical data within a few nanoseconds after the arrival of the pulsed radiation. The effects of radiation impose severe constraints on the performance of the optical fibers, these effects are discussed in the next subsection.

#### 4-2 RADIATION EFFECTS

The optical fibers are subjected to darkening effects when exposed to pulsed and steady state ionizing radiation. Investigation of the effects of ionizing radiation on optical fibers, both for transient and steady state radiation, is of relatively recent interest and the information available from literature is often conflicting. For the application (UGT environment) considered here, the effects of transient radiation on the optical fibers are of prime concern.

The objective is the assessment of the effects of radiation on fibers so that the best fiber can be selected. The fiber shall exhibit fast recovery after exposure to pulsed radiation. In other words, the fiber shall be least susceptible to degradation from either luminescence (primarily of Cerekov origin) and transient darkening effects. Some of the important results from literature on ionization radiation and its effects on optical fibers are qualitatively stated below:

- 1. Electron and x-ray excitation of fibers is expected to yield equivalent results (absorption or loss in fibers) when scaled on the basis of ionizing dose.
- Neutron-induced transient luminescence is significantly below gamma-induced transient luminescence on an absorbed dose basis.
- 3. Radiation conditions depend upon (a) level of radiation, (b) rate at which radiation is delivered and, (c) distribution of radiation on the fiber.
- 4. System performance (fiber, fiber link, source, detector) depends upon the specification of (a) fiber length, (b) data rate, (c) modulation format, and (d) operating temperature.

- 5. For pulsed radiation the maximum induced transient loss decreases significantly with increasing temperature.
- 6. Magnitude of radiation darkening depends upon the composition of the fiber and the fiber fabrication technique.
- 7. The transient darkening (in dB/km) varies linearly with radiation dose at least into the 10<sup>3</sup> to 10<sup>4</sup> rad (si) range.
- 8. For step-index fibers, PCS for example, the bandwidth is of the order 10-20 MHz-km. These fibers have a general problem of low bandwidth.
- 9. The PCS fibers have been found to be least sensitive to radiation-induced absroption during the first 50-1000 ns of pulsed radiation.
- 10. In graded-index optical fibers the signal bandwidth can be decades above the step-index variety. The bandwidth of graded-index fibers is up to 1500 MHz-km and they have insignificant mode dispersion.
- 11. A high bandwidth fiber IVPO, phosphorous doped internal process, exhibits the least transient darkening, about 25 dB/km, at 50 R (roentgen).

#### 4-3 SELECTION OF OPTICAL FIBERS

It is concluded from Subsection 4.2 that no fiber has the acceptable darkening in the first 5-10 ns of the pulsed radiation so as to be usable directly in the EO and MO sensors for the measurement of transient electromagnetic fields. The optical fibers for this application

would require shielding 5-10 meters of the radiation-exposed fiber with  ${\rm SiO}_2$  to reduce the level of radiation. The required radiation dose and the corresponding fiber shield thickness that would reduce the darkening effect to approximately < 8 dB/km after irradiation of the fiber with a fast (~ 3-4 ns) radiation pulse needs to be investigated. At ETI an existing computer code can be used for this purpose.

The selection of a PCS fiber would provide a bandwidth of 50-100 MHz, on the basis of 0.2 km fiber length required between the measurement site and alcove. Alternatively, a 5-10 meters of high bandwidth fiber (graded-index) spliced at either end with PCS fiber could be used at the measurement site. The average loss across the individual splices is of the order 0.46 dB (10%). For a length of 0.2 km, a graded-index fiber would provide up to 7.5 GHz bandwidth. Both the PCS and graded-index fibers with attenuation in the range 1-6 dB/km at 850 nm wavelength are readily available commercially.

In summary, the optical fiber for use with the EO and MO sensors would require shielding over a portion of 5-10 meters at the measurement site to reduce the radiation-induced transient darkening. The shielding thickness required for the acceptable attenuation in the fiber needs to the assessed. Laboratory tests and evaluation of the fiber for recovery from radiation-induced transient darkening would prove indispensible for any required development of the sensors.

# SECTION 5 FIBER OPTIC DATA LINK

In SGEMP tests of satellites a need exists for transmitting data on satellite functions during the test. The data transmission can best be accomplished using a fiber optic data link. The requirements for this link will be listed and then features of a suggested link will be described.

#### 5-1 REQUIREMENTS

The environment includes several significant factors. Large electromagnetic fields are, of course, present. Large electric potentials will be applied to the satellite in order to assess charging effects. Displacement damage from neutrons as well as ionizing radiation damage is present.

The first requirement to be considered for a data link is the presence of electric potentials and fields. These rule out the use of electrical conductors and require that either the data be stored at the measurement site or transmitted electromagnetically through a dielectric media. Storage of data requires more power and space so transmitting the data was selected. Transmission through antennas would result in distortion of the SGEMP fields due to the antenna presence. Optical beams can be obtained from small sources and transmitted through completely dielectric optical fibers which are immune to electromagnetic interference. While a direct interface between an optical beam and a fiber is possible, fiber optic coupling was selected to avoid alignment and colimation problems.

The space inside the satellite will be limited and, therefore, battery powered circuitry is essential. In addition, the requirement of radiation hardening all the circuits in the satellite indicates that the

satellite instrumentation must be as small and as simple as possible. Therefore, data acquisition and storage will be done in a remote radiation safe alcove.

The radiation environment is such that permanent damage of electronic components due to neutrons is not significant. Gamma and x-ray radiation likewise will not permanently damage properly designed electronics, however, it can cause long term damage to the optical fibers. The attenuation produced in the fibers means analog transmission should be rejected in favor of FM or digital transmission.


Circuits must recover from transient effects of ionizing radiation in time to transmit the data. Recovery within approximately one microsecond of irradiation is required and is achievable.

The data to be transmitted can be accommodated with sampling rates of 1 M sample/s or less.

### 5-2 FEATURES

The recommended data link consists of several transmitter modules, located at the satellite measurement site, which are connected by optical fibers to the corresponding receiver modules at an alcove. Additionally, the required interface and data acquisition equipment is located in the alcove.

The transmitter modules are as simple as possible. They would eventually use hybrid construction techniques where required to minimize space, although initial units would be of conventional construction. Each module would acquire data from one or a few measurement points and transmit it over a single fiber. Figure 5 is a block diagram of a transmitter module. Data transmission is continuous with no critical timing requirements.



THE PROPERTY OF THE PROPERTY O

Figure 5. Block diagram of transmitter module in satellite.

THE REPORT OF THE PROPERTY OF

-

Clock, turn on and calibrate information is carried to the transmitter module and pulse code modulated data is carried back to the receiver module along a single optic fiber by means of an optical directional coupler. The transmitter module contains several probes designed for accessing analog measurement signals without injecting added noise into the associated circuits. For simplicity, the filter and amplifier are adjustable only by hardware changes. The multiplexer (MUX) is only used if numerous low frequency data channels are preferred to one high frequency channel.

The data from the multiplexer go into a conventional sample and hold (S&H) and analog to digital (A/D) converter, followed by a parallel to serial converter which adds a frame synchronization word. A light emitting diode (LED) transmitter drives the optical fiber.

An optical directional coupler allows the data to output while the control information is simultaneously received from the alcove. The control information from the alcove provides a clock frequency which simplifies reception of the data back at the alcove and eliminates the need for a radiation hardened clock. Initiation of the clock signal will turn on the power in the transmitter unit. Since data will only be required for a few seconds, a small battery is sufficient to power the module circuitry. For the same reason, the low-powered but radiation sensitive MOS devices are not required which will simplify the task of radiation hardening the circuits. The detector diode in the satellite unit is energized continuously, but it draws essentially no current until light is received in the form of the clock signal. For long periods of data acquisition, the power comsumption can be minimized by intermittent periodic bursts of data transmission.

Calibration before and after the event can be most simply initiated by a low frequency signal superimposed on the clock data. A time delay will prevent calibration from being initiated by zero time noise.


The alcove equipment is shown in the block diagram of Figure 6. Again a directional coupler is used to allow transmission of on/off, clock and calibrate information to the transmitter module and to simultaneously receive data over a single fiber. If required, additional or alternate cross-talk isolation can be provided by optical wavelength differences or signal frequency differences, or separate fibers.

The bulk of the circuitry in the alcove is contained in the formatter. This digital encoding system formatter is an existing DNA equipment capable of taking data from up to 32 channels and transmitting it over a single channel to backup recorders in remote instrumentation trailers.

The interface to the existing DES formatter is accomplished in a separate chassis. In addition to the fiber optic couplers, transmitters and receivers this unit generates the clock and timing signals required by the satellite units. It also decodes the data stream and stores it in a self-contained memory. Timing signals terminate the storage of data and and an interlock prevents inadvertent erasure of the memory. The sequence of events is shown in Figure 7 which is taken from the DES operating manual.

Figure 8 shows the DES block diagram. For the recommended satellite use, the four channel encoders will be replaced with the previously described fiber optic system.

Several alternatives exist which may be found during the early development to be optimum. These include the use of separate fibers in place of the directional couplers and the use of the latest digital equipment than the DES.



Block diagram of receiver module and associated equipment in alcove. Figure 6.




Figure 7. System operating modes.




Figure 8. Block diagram of digital encoder system (DES).

In summary, the recommended system will allow extraction of data, by use of fiber optics, from a charged satellite in an SGEMP test without disruption of the E/M fields. Digital signals will circumvent fiber effects from radiation at zero time and eliminate the need for fiber shielding. The circuitry of the transmitter module in the satellite is simple, compact and battery powered and will be designed to recover from ionizing radiation-induced upset in less than one cycle of the data to be recorded. Existing DNA owned DES formatters will be used to eliminate unneccessary development costs and to insure compatibility with existing recording techniques.

# SECTION 6 CONCLUSIONS

General conclusions about the advantages of the EO and MO sensors and the problems and areas of concern in the development of the sensors and FO data link are discussed in Subsections 6.1 and 6.2, respectively. The recommendations to meet the goals of any required development of the EO and MO sensors and the FO data link are presented under separate headings in Subsection 6.3.

#### 6-1 ADVANTAGES OF EO AND MO SENSORS

Major advantages of the EO and MO sensors for the measurement of electromagnetic fields in an UGT environment are listed here.

- The sensors are completely dielectric and they are not as perturbing to the fields being measured as the conventional electrical sensors.
- 2. The sensors do not breakdown in a high radiation source region because of the complete absence of any wire or cable.
- 3. The sensors are well-suited for use with optical fibers which are immune to electromagnetic interference and other noise sources.
- 4. The time responses of the EO and MO sensing materials approach the electronic lattice relaxation times (10<sup>-13</sup> to 10<sup>-14</sup> sec.). Therefore, the time responses of the sensors are limited only by the responses of the detectors and associated electronics.

- 5. Because of the fast time responses of the linear electro-optic and magneto-optic sensing materials, their frequency responses need hardly be considered.
- 6. The transmitters, receivers, and associated electronics of the sensors are located in a relatively radiation safe alcove and, therefore, need no radiation hardening.
- 7. Optical fibers are used for the transmission of light in the sensors, but no FO data link of any kind is needed.
- 8. The sensors are simple in design and easy to build.
- 9. It is relatively inexpensive to build these sensors.

### 6-2 PROBLEMS AND AREAS OF CONCERN

Problems that need to be addressed in any future development of the sensors and the FO data link are as follows:

- 1. If KD\*P is used as EO sensing material, then means need to be devised to compensate for its sensitivity to temperature. However, this may not impose any severe restriction since the temperature of the environment in the satellite UGT remains fairly constant.
- 2. Use of glass as a Faraday rotator in the MO sensor would require long material length ( $\sim$  10cm) and may result in high absorption loss  $\alpha$  (cm<sup>-1</sup>) for certain optical wavelengths. These losses shall need to be determined experimentally for any sensor development.

- 3. There is insufficient information on the effects of ionizing radiation on the EO and MO sensing materials. These effects can only be assessed fully in laboratory simulated radiation environment.
- 4. The EO and MO sensors shall require calibration with and without the presence of simulated radiation source environment. Therefore, experimental sensors are needed for test evaluation and calibration.
- 5. The FO data link concept is feasible. But information on space available, number of signals to be measured and their characteristics has not been established.
- 6. Necessary radiation hardened circuits for the FO data link are not yet available.

# 6-3 RECOMMENDATIONS

Two sets of recommendations are presented here. The first set for the EO and MO sensors and the second for the FO data link.

#### 6-3.1 Recommendations for EO and MO Sensors

The recommendations, in the form of a program plan, for any required development of the EO and MO sensors are presented below:

 Review the requirements for the E- and B-field sensors to be used in the coming DNA underground test events. In particular, determine field levels, radiation levels and sensor mounting space constraints.

- Review the performance of the conventional electrical sensors for the measurement of electromagnetic fields to insure improved or complimentary performance of the EO and MO sensors.
- 3. Continue literature surveys of (a) the EO and MO sensing materials and sensors, and (b) the radiation effects on these devices and their materials.
- 4. Based on the above three items, select the appropriate EO and MO sensing materials and optical components that exhibit the best overall potential for success. Contact vendors and procure the desired sizes and shapes of these materials.
- 5. Conduct tests to determine the response of the EO and MO sensing materials to pulsed ionizing radiation in simulators. Conduct laboratory measurements, where required, to determine optical absorption losses and temperature sensitivity of the materials.
- 6. Design experimental sensors and test evaluate their performance in measuring the applied E- and B-fields both with and without the presence of simulated pulsed radiation. Perform the required calibration of the sensor systems.
- 7. Build prototype sensors for use in the next (1983) UGT event. These sensors would be of the size and configuration that meet the requirements for use in satellite measurements. Perform qualification tests in laboratory and radiation simulators.

#### 6-3.2 Recommendations for FO Data Link

The recommendation for any required development of the FO data link for the measurement of electrical functions of a satellite, subjected to tests in an UGT, are as follows:

- Establish with the aid of DNA the quantity of signals and their characteristics which require measurement in satellite UGT tests.
- 2. Perform literature surveys, analyses and tests in laboratory and radiation simulators to assess radiation hardness of electronic and fiber optic components.
- 3. Design, build and test prototype FO data links for proof tests in am UGT.

#### REFERENCES

- 1. G.A. Massey, D.C. Erickson, and R. A. Kadlec, "Electromagnetic Field Components: Their Measurements Using Linear Electro-optic and Magneto-optic Effects", Applied Optics, Vol 14, 11 Nov (1975).
- 2. G.A. Massey, J. C. Johnson, and D. C. Erickson, "Laser Sensing of Electric and Magnetic Fields for Power Transmission Applications", SPIE, Vol. 88 Polarized Light (1976).
- 3. D.C. Erickson, "The Use of Fiber Optics for Communication Measurement and Control with High Voltage Substations", IEEE Trans. Power Appra. and Sys., Vol. PAS-99, No. 3, May/June (1980).
- 4. Glen J. Morris and Frederick D. Tart, "An Electro-optic EMP E-Field Sensor", DNA 3609P-2, Joint EMP Tech. Meeting, (NEM 1973), Proc. Vol. II, Instrumentation.

# APPENDIX A POLARIZATION ANALYSIS

### POLARIZATION ANALYSIS

# A) Pockels Effect

Figure A.1 shows an ADP or KDP crystal with an electric field applied along the Z axis and placed between a quarter waveplate and a polarizing beam splitter. The linearly polarized light incident upon the 1/4 - waveplate is transformed into a circularly polarized beam. In the presence of the applied  $E_{\rm Z}$  the principal dielectric axes are x' and y' axes. The light incident on the crystal has equal components of E along x' and y'. This results in the intensity components  $I_{1}$  and  $I_{2}$  of the transmitted light in the x and y direction, respectively at the polarizing beam splitter to be unequal. The complex amplitudes of  $E_{\rm X}$ , and  $E_{\rm Y}$ , at the output of the crystal can be written as

$$E_x' = Ae^{i\phi}x'$$

$$E_{v}^{\dagger} = Ae^{i\phi}y^{\dagger}$$
.

The differential phase delay called the retardation is defined as

$$\Gamma = \phi_{y}, - \phi_{x},.$$

We want to find the fraction of incident light intensity transmitted in the x and y direction at an arbitrary applied field  $E_z$ . We assume a unity of incident intensity and take  $E_x$ , =  $E_y$ , = 1 at the input of the crystal. The output intensity in the y direction is given by

$$\frac{I_{y \text{ trans}}}{I_{\text{incid}}} = \frac{I_{2}}{I_{0}} = 1/2 E_{y}E_{y}^{*}$$




Figure A.1. A Pockels (linear electro-optic) effect sensor using an ADP crystal, a quarter-wave retardation plate and a polarizing beam splitter.

where  $E_y^*$  = Complex Conjugate of  $E_y$ . The components of E along x and y are

$$E_{y} = -\cos 45^{\circ} e^{i\phi} x' + \cos 45^{\circ} e^{i\phi} y'$$

$$E_{x} = \sin 45^{\circ} e^{i\phi} x' + \sin 45^{\circ} e^{i\phi} y'.$$

Substituting for  $\mathbf{E}_{\mathbf{y}}$  and  $\mathbf{E}_{\mathbf{y}}^{*}$  gives

$$\frac{I_2}{I_0} = 1/2 (-1/2 e^{i\phi}x' + 1/2 e^{i\phi}y') (-1/2 e^{-i\phi}x' + 1/2 e^{-i\phi}y')$$

or

$$\frac{I_2}{I_2} = 1/2 \left(1 - \frac{e^{i\Gamma} + e^{-i\Gamma}}{2}\right) = 1/2(1 - \cos\Gamma).$$

Similarly for the output intensity in the x direction one obtains,

$$\frac{I_1}{I_0} = 1/2(1 + \cos r)$$
.

If the input beam is biased by a  $\pi/2$  phase retardation using a quarter waveplate, then

$$\Gamma = \pi/2 + \Gamma$$

and we get

$$\frac{I_2}{I_0} = 1/2(1 - \sin r)$$

and

$$\frac{I_1}{I_0} = 1/2(1 + \sin r).$$

Combining the above two expressions yields

$$\frac{I_1 - I_2}{I_1 + I_2} = \sin \Gamma \simeq \Gamma \text{ (for } \Gamma << \pi/2).$$

# B) Faraday Effect

Figure A.2 shows a Faraday rotator with an applied magnetic field B parallel to light travelling along the optic Z axis and an analyzer at the rotator output. In the presence of B-field the polarization of the linearly polarized light passing through the rotator rotates through an angle  $\theta$ . The intensity (irradiation) of a linearly polarized light beam is given by

$$I = \frac{C\varepsilon_0 E_0^2}{2}$$

Where C = Velocity of light in vacuum

 $\varepsilon_0$  = Permittivity of free space

E = Amplitude of linearly polarized plane wave

We want to determine the fraction of incident light intensity transmitted in the x and y directions at an arbitrary applied B-field. The output intensity in the x direction is given by (referring to the figure)

$$\frac{I_{x \text{ tran}}}{I_{0}} = \frac{I_{1}}{I_{0}} = \cos^{2}\theta = 1/2(1 + \cos^{2}\theta)$$




Figure A.2. A Faraday (linear Magneto-optic) effect sensor using a glass rod and an analyzer.

Where

$$E_{x} = E_{o} \cos \theta$$

$$I_o = \frac{C\varepsilon_o}{2} = E_o^2 = intensity of incident light$$

Similarly for the output intensity in the y direction one obtains,

$$\frac{I_2}{I_0} = \sin^2\theta = 1/2(1 - \cos 2\theta).$$

If the polarization of the incident light is biased  $\pi/4$  by rotation with respect to the analyzer, then  $\theta$  =  $\pi/4$  +  $\theta$  and we get

$$\frac{I_2}{I_0} = 1/2(1 - \sin 2\theta)$$

and

$$\frac{I_1}{I_0} = 1/2(1 + \sin 2\theta).$$

Combining the above two expressions yields

$$\frac{I_1 - I_2}{I_1 + I_2} = \sin 2\theta \sim 2\theta \text{ (for } \theta \ll \pi/4).$$

#### References:

- A. Yariv, 1976, "Quantum Electronics" (2nd edition), New York: Wiley. UNCLASSIFIED
- 2. E. Hecht/A. Zajac, 1973, "Optics", California: Addison-Wesley. UNCLASSIFIED

# APPENDIX B

# DESIGN PARAMETERS OF THE CONVENTIONAL ELECTRICAL SENSORS

The design parameters of the various conventional electrical (antenna type) sensors are summarized in this appendix. The information is presented in tabular form for the various systems of a particular sensor. Separate tables on D-Dot, electric field, B-Dot, I-Dot and current sensors are included. The usual commonly used letters and symbols are used to denote the electrical quantities and sensor parameters. The information in these tables is taken from the references cited at the end of the appendix.

Table B.1. D-Dot sensors.

SENSOR SYSTEMS	FIELD QTY MEASURED	SIZES	SENSOR	TIME OR FREQ RESPONSE	SENSITIVITY (Eq Area or Length)	REMARKS
HSD-Hollow Spherical Dipole HSD-ZA(R)	٠.۵	a=3 - 10 cm	Small electric dipole (SED)	tr=1-3 ns	Aeq=0.01 - 0.1 m	A 10 90 = 0.078
ACD-Asymptotic Conical Dipole ACD-SIA(R)	·a		SED	255 SS	A <sub>eq</sub> =10 - 10 m	Cs = 1.16 pf A <sub>10</sub> - 90=0.23
FPD-Flush Plate Dipole FPD-1A	·a	<10 cm	SED	<500 Mtz	A <sub>eq</sub> =0.01 = 3	A - 90=0.08
CFO-Conforming Flush Plate dipole	·a		SED	100 Miz	Aeq*10 - 10-2 m	A - 90=5.3 x 10-4

Table B.2. Electric field sensors.

MILLOND GORDS	FIELD QTY	51366	GUNGS	TIME OR FREQ	SENSITIVITY (Fo Appa or Landth)	SAGEN LO
PPD-Parallel Plate	HEASONED	Carle	The state of the s	tr=0.2ns + 0.5ns   _=   CM	ובין כא עוביי מן רבוואנון	C=200-1000 pf
Dipole	ш		SED	T*1-100 µsec	7	
PPD-1A(R)						
PMD-Parallel mesh				1.6 - 3.5 GHz	1 =0.5 cm + 0.6 m	c=20 pf
Dipole	w		SED	tr = 0.1 ns	7	
PHD-1				t <sub>d</sub> * 1.5 ns		
PMD-1F				•		

Table B.3. B-Dot sensors.

SENSOR SYSTEM	FIELD QTY MEASURED	SIZES	SENSOR	TIME OR FREQ RESPONSE	SENSITIVITY (Eq Area or length)	REMARKS
CML-Cylindrical moebius loop CML-X3F	• 00	£ - 4cm	Joop	<330 Mtz	Aeq =5 x 10 <sup>-4</sup> - 2 x 10 <sup>-2</sup> = 2	M = 12 nH
MGL-Multigap Loop MGL-3A	• 65	3#100p	loop & half-loop	tr=0.2 +	Aeq=10 <sup>-5</sup> - 10 <sup>-1</sup> 2	A 10 - 90=0.24
OML-One-conductor Many-turn-loop OML-1A(A)	• 223		loop		Aeq 1	
MTL-Multi-turn Loop	• 🕳		loop	% KHz	A <sub>eq</sub> =10 m <sup>2</sup> (50 turns)	M=630 aH
03L-Octahedral Three-axis loop	B Three orthogonal components	ona]		tr=1:-ns <12 Mtz	Aeq=0.2 m²	
RML-Rectangular Moebius loop RML-X1	• 00		Joop	<33 Mtz	Aeq*5 x 10 <sup>-4</sup> 2 x 10 <sup>-2</sup>	F=12 nH Similar to CM.

Table B.4. I-Dot sensors.

SENSOR SYSTEM	FIELD QTY NEASURED	SIZES	SENSOR	TIME OR FREQ RESPONSE	SENSITIVITY (Eq Area or length)	REMARKS
CPM-Circular Parallel Mutual Inductance Sensor		4-0.1↓ 2m	Inductive loop	tr=1+3ns		H <sub>0</sub> _01-H
llf -1-dot one- turn insertion unit		used on 1 5/8" 0.D. cable	<b>a</b>	tr=0.3ns		M=5nH
OPM-Outside Noebius Mutual Inductance OPM-1A		6-8 cm long 10 = 10 cm	Moebius Joop	tr < 0.5 ns > 700 Mtz		Similar to CML M=2nH
SMM - Side moebius mutual inductance SMM-X1	•-		Moebius Joop	> 800Mkz tr=0.4ns		H=2nH L=4nH

THE STATE OF THE PROPERTY OF T

Table B.5. Current sensors.

SENSOR SYSTEM	FIELD QTY MEASURED	SIZES	SENSORS	TIME OR FREQ RESPONSE	SENSITIVITY (Eq Area or Length)	REMARKS
SCI - Split core current sensor		D= 8-16 cm	one-turn transformer	80 bHz - 500 MHz		Clamp-on measures cable bundle currents
ICI - Inside core current sensor	_	D= 3-4 cm	One-turn transformer	5 kHz - 200 Mtz		Measure pin currents
PMM - Flush Moebius Mutual Inductance FMM-1A	Jotal 1	D ~19 cm	tr < 1 ns	Aeq = 10 <sup>-3, 2</sup>		M = 5 mH

# REFERENCES

# CONVENTIONAL ELECTRICAL SENSORS

- 1. C.E. Baum, E.L. Breen, J.C. Giles, J. O'Neill and G.D. Sower, "Sensors for Electromagnetic Pulse Measurements Both Inside and Away from Nuclear Source Regions," IEEE Trans. Ant. and Prop. Vol. AP-26, No. 1, January 1978.
- 2. R.H. Bonn, "Instrumentation for an Underground Nuclear SGEMP Experiment," Sensor and Simulation Notes, Note 270, 2 March 1981.

# APPENDIX C GLOSSARY OF SCIENTIFIC TERMS

ADP - ammonium dihydrogen phosphate  $(NH_4)H_2AsO_4$ , a crystal that exhibits nonlinear optical effects and electro-optical effects. The deuterated form  $(NH_4)D_2PO_4$  is denoted AD\*P.

Birefringence - the splitting of a light ray, generally by a crystal, into two components, called the ordinary and extraordinary components, with orthogonal polarization; these components travel at different velocities in different directions unless the input beam is directed along a specific direction in the crystal.

Center of Symmetry - a crystal possesses a center of symmetry if every point in the crystal can be reflected through the center to an equal distance on the other side and the resulting crystal remains identical.

CDA - cesium dihydrogen arsenate (CsH $_2$ AsO $_4$ ), a crystal used in electro-optic modulators. CD\*A is the deuterated version (CsD $_2$ AsO $_4$ ).

Diamagnetism - the property that certain substances have of being repelled by both poles of a magnet.

Diamagnetic - having or relating to diamagnetism.

Ferromagnetic - designating a material such as iron, nickel, or cobalt having a high magnetic permeability which varies with the magnetizing force. Beyond a certain critical value of temperature, called the Curie temperature, these materials lose their high magnetic permeability and they become simply paramagnetic.

Paramagnetism - a weaker form of magnetism exhibited in certain materials when placed in an external magnetic field.

Multiplex - transmission of more than one signal within a single carrier.

Paramagnetic - designating a material such as aluminum, platinum, etc., having a magnetic permeability slightly greater than unity and varying to only a small extent with the magnetizing force.

KDP - potassium dihydrogen phosphate (KH<sub>2</sub>PO<sub>4</sub>), a crystal used in electro-optic modulators. The deuterated form of the crystal (KD<sub>2</sub>PO<sub>4</sub>) is called KD\*P or D-KDP.

Kerr Effect - an electro-optic effect exhibited in certain liquids which become birefringent when placed in an electric field E. This is a nonlinear effect having quadratic variation of refractive index with applied electric field.

RDP - rubidium dihydrogen phosphate (RbH<sub>2</sub>PO<sub>4</sub>), a crystal used in electro-optic modulators.

TGG - terbium gallium garnet, a crystal used in magneto-optic modulators or sensors.

YIG - yittrium iron garnet  $(Y_3Fe_5O_{12})$ , a crystal used in magneto-optic modulators or sensors.

# DISTRIBUTION LIST

DEPARTMENT OF DEFENSE	DEPARTMENT OF THE AIR FORCE
Assistant to the Committee of Bulletin	Adm Pares Hannar Labourbons
Assistant to the Secretary of Defense Atomic Energy	Air Force Weapons Laboratory ATTN: SUL
ATTN: Executive Assistant	ATTN: GA
WILLE EVERAFIAE W2212 COUR	ATTN: NTYC
Defense Intelligence Agency	ATTN: NT
ATTN: DT-18. R. Rubenstein	ATTN: NTYP
MIIN: DI-10, K. Kubenztein	Alla: Alle
Defense Nuclear Agency	Ballistic Missile Office
ATTN: RAAE	ATTN: ENSN
ATTN: STNA	
4 cy ATTN: TITL	Deputy Chief of Staff
4 CY ATTN: RAEV	Research, Development, & Acq
, , , , , , , , , , , , , , , , , , , ,	ATTN: AFROOI
Defense Technical Information Center	
12 cy ATTN: DD	Space Division
	ATTN: XR
Field Command	ATTN: YEZ
Defense Nuclear Agency	ATTN: YGJ
ATTN: FCTT, W. Summa	ATTN: YKM
ATTN: FCTT	ATTN: YKF
ATTN: FCTT, G. Ganong	ATTM: YKS, P. Stadler
ATTN: FCPR. J. McDaniel	ATTN: YNV
min form, or mounted	ATTN: YO
Field Command	At the Ty
Defense Nuclear Agency	Strategic Air Command
Livermore Branch	ATTN: INT. E. Jacobsen
ATTN: FC-1	Allin Ini a vadopacii
	DEPARTMENT OF ENERGY
Under Secretary of Def for Rsch & Engrg	
ATTN: Strategic & Space Sys (OS)	Department of Energy
WWW out aug to a special of a foot	ATTN: Ofc of Inert Fusion, S. Kahalas
DEPARTMENT OF THE ARMY	ATTN: Ofc of Inert Fusion, T. Godlove
	ATTN: Ofc of Inert Fusion. C. Hilland
Harry Diamond Laboratories	
ATTN: DELHD-NW-RA	OTHER GOVERNMENT AGENCY
ATTN: DELHD-NW-P	***************************************
ATTN: DELHD-NW-RI, Kervis	Central Intelligence Agency
ATTN: DELHO-TA-L	ATTN: OSWR/NED
US Army Nuclear & Chemical Agency	DEPARTMENT OF ENERGY_CONTRACTORS
ATTN: Library	
•	University of California
US Army Test and Evaluation Cmd	Lawrence Livermore National Lab
ATTN: DRSTE-EL	ATTN: L-401, W. Pickles
	ATTN: L-47, L. Wouters
USAMICOM	ATTN: Technical Info Dept, Library
ATTN: Documents Section	ATTN: L-153
	ATTN: L-153, D. Meeker
DEPARTMENT OF THE NAVY	ATTN: L-545, J. Nuckolls
<b>.</b>	
Naval Research Laboratory	Los Alamos National Laboratory
ATTN: Code 4773, G. Cooperstein ATTN: Code 2000, J. Brown	ATTN: MS222, J. Brownell
ATTN: Code 2000, J. Brown	
ATTN: Code 7550, J. Davis	Sandia National Lab
ATTN: Code 6534, K. Whitney	ATTN: 5240, G. Kuswa
	ATTN: G. Yonas
Naval Surface Weapons Center	ATTN: 5241, M. Clauser
ATTN: Code R40	ATTN: 9365, J. Allen
ATTN: Code F31	ATTN: 3141

Naval Weapons Center ATTN: Code 233

#### DEPARTMENT OF DEFENSE CONTRACTORS

Aerospace Corp

ATTN: Technical Information Services
ATTN: V. Josephson
ATTN: S. Bower

8DM Corp

ATTN: Corporate Library

Boeing Co ATTN: Aerospace Library

Dikewood Corporation ATTN: Tech Lib, L. Davis

EG&G Wash Analytical Svcs Ctr, Inc

ATTN: Library

General Electric Co

ATTN: J. Peden ATTN: H. O'Donnel

IRT Corp ATTN: R. Mertz

**JAYCOR** 

ATTN: E. Wenaas

**JAYCOR** 

ATTN: R. Sullivan

Kaman Sciences Corp ATTN: S. Face

Kaman Tempo

ATTN: DASIAC

Lockheed Missiles & Space Co, Inc

ATTN: L. Chase

Texas Tech University ATTN: T. Simpson

TRW Electronics & Defense Sector

ATTN: Technical Information Center ATTN: D. Clement

Effects Technology, Inc

4 cy ATTN: B. Samyal 4 cy ATTN: W. Naumann

#### DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

Lockheed Missiles & Space Co, Inc

ATTN: S. Taimuty, Dept 81-74

Maxwell Labs, Inc ATTN: A. Miller ATTN: P. Korn ATTN: A. Kolb

McDonnell Douglas Corp ATTN: S. Schneider

Mission Research Corp

ATTN: W. Hart ATTN: C. Longmire

Mission Research Corp ATTN: B. Godfrey

Mission Research Corp ATTN: B. Passenheim

Pacific-Sierra Research Corp

ATTN: L. Schlessinger ATTN: H. Brode, Chairman SAGE

Physics International do

ATTN: A. Toepfer ATTN: B. Bernstein ATTN: C. Stallings

R & D Associates

ATTN: W. Graham ATTN: P. Haas

S-CUBED

ATTN: A. Wilson

Science Applications, Inc ATTN: K. Sites

Spire Corp ATTN: R. Little

Advanced Research & Applications Corp

ATTN: R. Armistead